



Single Stock (Virginia)


Management Survey 2013

(Filtered by: Virginia)

Average winter colony mortality reported by beekeepers who indicated which race of bees they kept between April and March.

Winter

Report ID: 206-2013



Survey Question

What type or race of bees do you use in your operation?

- New World Carniolan
- New World Carniolan hybrid
- Caucasian
- Caucasian hybrid
- Italian
- Italian hybrid
- Buckfast
- Buckfast hybrid
- Russian
- Russian hybrid
- Varroa Sensitive Hygienic (VSH)
- Minnesota Hygienic
- German black
- Local selected
- Africanized
- Don't know

		Total Number of Respondents Providing Valid	Total Number of Colonies Managed	Average Number of Colonies Managed	Average Colony Loss

		Responses					
					Mean	Standard Error	Mean(%) [Lower, Upper] CI
Africanized	Not used at all or exclusively	274	1,725	6.3	0.6	45.5	[41.3,49.7]
Buckfast	Not used at all or exclusively	271	1,676	6.2	0.5	46.0	[41.7,50.2]
Buckfast hybrid	Not used at all or exclusively	274	1,725	6.3	0.6	45.5	[41.3,49.7]
Caucasian	Not used at all or exclusively	270	1,717	6.4	0.6	45.9	[41.6,50.1]
Caucasian hybrid	Not used at all or exclusively	274	1,725	6.3	0.6	45.5	[41.3,49.7]
Do Not Know	Not used at all or exclusively	431	5,739	13.3	4.1	44.0	[40.7,47.3]
	Used exclusively	63	13,865	220.1	214.2	30.4	[22.5,38.3]
German black	Not used at all or exclusively	273	1,719	6.3	0.6	45.4	[41.2,49.6]
Italian	Not used at all or exclusively	94	733	7.8	1.2	39.8	[32.8,46.7]
	Used exclusively	180	992	5.5	0.5	48.5	[43.3,53.7]
Italian hybrid	Not used at all or exclusively	248	1,459	5.9	0.5	45.7	[41.3,50.1]
	Used exclusively	26	266	10.2	3.0	43.8	[29.1,58.5]
Local selected	Not used at all or exclusively	245	1,492	6.1	0.6	45.5	[41.1,50.0]
	Used exclusively	29	233	8.0	2.3	45.4	[32.4,58.3]
Minnesota Hygienic	Not used at all or exclusively	273	1,724	6.3	0.6	45.7	[41.5,49.9]
New World Carniolan	Not used at all or exclusively	259	1,632	6.3	0.6	46.2	[41.9,50.5]
	Used exclusively	15	93	6.2	1.5	33.3	[16.1,50.6]
New World Carniolan hybrid	Not used at all or exclusively	268	1,702	6.4	0.6	45.3	[41.1,49.6]
	Used exclusively	6	23	3.8	1.4	53.9	[17.0,90.8]
Russian	Not used at all or exclusively	272	1,716	6.3	0.6	45.8	[41.6,50.0]
Russian hybrid	Not used at all or exclusively	274	1,725	6.3	0.6	45.5	[41.3,49.7]
Varroa	Not used at all	272	1,702	6.3	0.6	45.7	[41.5,49.9]

Sensitive Hygienic (VSH)	or exclusively					
Single Queen Type Used	Only one breed used	274	1,725	6.3	0.6	45.5 [41.3,49.7]
	More then one type used	220	17,879	81.3	61.8	38.2 [33.8,42.6]

Comments About This Data

Relevant Links, References, and Citations

Funded By:



United States
Department of
Agriculture

National Institute
of Food
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.