


Queen Replacement By Queen Source Origin (Northeast)


Management Survey 2013

(Filtered by: Northeast)

Winter

Report ID: 230-2013 Average winter colony mortality suffered by beekeepers who reported replacing queens in their colonies between April and March by the source of the queens used for replacement.





Survey Question

If you introduced mated or virgin queens and/or queen cells, where did you get the majority of these queens?

- -Not applicable
- -Do not know
- -Queen self reared
- -Commercial queen

		of Respondents	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss
				Mean	Standard Error	() [
	Commercial Queen	86	46,966	546.1	346.7	37.5 [31.3, 43.8]
	Do Not Know	20	136	6.8	1.4	43.6 [28.3, 58.8]
:	Not Applicable	5	15	3.0	1.0	74.8 [45.2, 100.0]
:	Queen Self Reared	246	13,396	54.5	21.9	50.0 [45.7, 54.2]

Comments About This Data

Relevant Links, References, and Citations

Funded By:





United States
Department of
Agriculture

National Institute of Food and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.