




Small Hive Beetle Trap Use by Region

Management Survey 2013


Average winter colony mortality reported by beekeepers who did or did not use Small Hive Beetle traps in at least some of the colonies in their operation, between April and March, by region of operation.

Winter

Report ID: 125-2013



Respondent Ratio



Interpretation

There are no significant differences between the groups.

Survey Question

Over the last year, did you employ any of the IPM practices/equipment listed below?

-Screen bottom board

		Total Number of Respondents	Total Number of Colonies	Average Number of Colonies Managed	Average Colony Loss

		Providing Valid Responses	Managed			Mean(%) [Lower, Upper] CI
				Mean	Standard Error	
Multiregional	Technique Used	18	907	50.4	28.6	25.3 [11.2, 39.4]
	Technique Not Used	26	17,783	684.0	313.7	20.1 [10.8, 29.3]
Northern States	Technique Used	359	3,426	9.5	0.9	46.7 [43.2, 50.3]
	Technique Not Used	1,483	17,380	11.7	1.1	47.0 [45.2, 48.9]
Southern States	Technique Used	495	4,991	10.1	0.7	37.0 [34.0, 40.0]
	Technique Not Used	564	11,108	19.7	4.7	38.8 [36.0, 41.5]

Comments About This Data

Relevant Links, References, and Citations

Funded By:



United States
Department of
Agriculture

National Institute
of Food
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.