



The Bee Informed Partnership  
Management Survey Results (2013)  
Feed Supplements

---

BeelInformed.org

This information is for educational purposes only.


References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.




A comparison of average winter colony mortality among beekeepers who reported they did or did not apply and/or feed Honey-B-Healthy to a majority of their colonies, at least once, between April and March.

## Winter

Report ID: 182-2013



## Participant Ratio



## Interpretation

Beekeepers who treated with Honey-B-Healthy did not report losing more or less colonies than those who did not report treating with Honey-B-Healthy.

## Survey Question

Which, if any of the following, did you apply to a majority of your colonies between April 1, 2012 and March, 2013?

-Honey-B-Healthy

		Total Number of Respondents Providing Valid Responses	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
	Product Not Used	2,436	262,023	107.6	18.0	43.7 [42.3, 45.1]
	Product Used	1,348	295,156	219.0	63.5	42.6 [40.8, 44.4]

---

## Relevant Links, References, and Citations

Funded By:



United States  
Department of  
Agriculture

National Institute  
of Food  
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.




# Honey-B-Healthy Use By Region

Management Survey 2013


## Winter

Report ID: 185-2013

A comparison of average winter colony mortality among beekeepers who reported they did or did not apply and/or feed Honey-B-Healthy to a majority of their colonies, at least once, between April and March.



## Respondent Ratio



## Interpretation

**No significant differences between the groups.**

## Survey Question

Which, if any of the following, did you apply to a majority of your colonies between April 1, 2012 and March, 2013?

-Honey-B-Healthy

		Total Number of Respondents	Total Number of Colonies	Average Number of Colonies Managed	Average Colony Loss

		Providing Valid Responses	Managed			
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
Multiregional	Product Used	41	236,708	5773.4	1874.6	29.5 [22.0,37.1]
	Product Not Used	87	192,716	2215.1	433.2	26.7 [21.5,31.8]
Northern States	Product Used	789	20,818	26.4	10.3	46.1 [43.7,48.6]
	Product Not Used	1,539	26,689	17.3	1.9	47.8 [46.0,49.6]
Southern States	Product Used	512	35,939	70.2	27.1	38.3 [35.4,41.2]
	Product Not Used	785	35,257	44.9	11.3	38.6 [36.2,41.1]

## Comments About This Data

## Relevant Links, References, and Citations

Funded By:



United States  
Department of  
Agriculture

National Institute  
of Food  
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.




# Vita Feed Green Use

Management Survey 2013


A comparison of average winter colony mortality among beekeepers who reported they fed Vita Feed Green and those who reported they did not feed Vita Feed Green, at least once to majority of their colonies, between April and March.

## Winter

Report ID: 176-2013



## Participant Ratio



## Interpretation

Beekeepers who reported feeding Vita Feed Green to their colonies did not report losing more or less colonies than those who did not report using Vita Feed Green. In other words, there was not a significant difference.

## Survey Question

Which, if any of the following, did you apply to a majority of your colonies between April 1, 2012 and March, 2013?

-Vita Feed Green

		Total Number of Respondents Providing Valid Responses	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
	Product Not Used	3,764	557,021	148.0	25.6	43.4 [42.2, 44.5]
	Product Used	20	158	7.9	2.0	33.6 [20.2, 47.0]

## Comments About This Data

---

### Relevant Links, References, and Citations

Funded By:



United States  
Department of  
Agriculture

National Institute  
of Food  
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.






# Vita Feed Gold Use


A comparison of average winter colony mortality among beekeepers who reported they fed and those who reported they did not feed Vita Feed Gold, at least once, to a majority of their colonies between April and March.

## Winter

Report ID: 173-2013



## Participant Ratio



## Interpretation

Beekeepers who reported feeding Vita Feed Gold to their colonies did not report losing more or less colonies than those who did not report feeding Vita Feed Gold. In other words, there was not a significant difference.

## Survey Question

Which, if any of the following, did you apply to a majority of your colonies between April 1, 2012 and March, 2013?

-Vita Feed Gold

		Total Number of Respondents Providing Valid Responses	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
	Product Not Used	3,772	557,102	147.7	25.5	43.4 [42.2, 44.5]
	Product Used	12	77	6.4	2.1	33.6 [15.9, 51.4]

## Comments About This Data

---

### Relevant Links, References, and Citations

Funded By:



United States  
Department of  
Agriculture

National Institute  
of Food  
and Agriculture


This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.




A comparison of average winter colony mortality among beekeepers who reported they did not feed and those who reported they did feed ApiGo, at least once, to a majority of their colonies between April and March.

**Winter**

Report ID: 179-2013



**Participant Ratio**



**Interpretation**

No participating respondents used this product. No comparisons can be made.

**Survey Question**

Which, if any of the following did you apply to a majority of your colonies between April 1, 2012 and March, 2013?

-ApiGo

		Total Number of Respondents Providing Valid Responses	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
	Product Not Used	3,783	557,175	147.3	25.5	43.3 [42.2, 44.4]

**Comments About This Data**

**Relevant Links, References, and Citations**

Funded By:



United States  
Department of  
Agriculture

National Institute  
of Food  
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.