




Drone Brood Removal Use

A comparison of average winter colony mortality among beekeepers who reported using or not using drone brood removal between April, 2011 and March, 2012.


Winter

Report ID: 104-2012

No Significant Differences



Respondent Ratio



Interpretation

No differences detected between groups.

Survey Question

Over the last year, did you employ any of the IPM practices/equipment listed below?

- Drone comb removal
- Small cell size comb
- Small hive beetle trap
- Screened bottom board

		Total Number of Respondents Providing Valid Responses	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss		
				Mean	Standard Error	Mean(%)	Lower 95% CI	Upper 95% CI
	Technique Not Used	2,441	79,905	32.7	9.6	23.2	22.0	24.4
	Technique Used	659	40,519	61.5	24.9	20.5	18.5	22.5

Comments About This Data

Relevant Links, References, and Citations

Funded By:



United States
Department of
Agriculture

National Institute
of Food
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.