




Powdered Sugar Use


Winter

Report ID: 191-2012

A comparison of average winter colony mortality among beekeepers who reported treating or not treating with powder sugar, at least once, between April, 2011 and March, 2012.



Respondent Ratio



Interpretation

No differences between groups.

Survey Question

Did you use any other disease or parasite control product in a majority of your colonies that was not listed in questions between April 1, 2011 and March, 2012?

| | | Total Number of Respondents Providing Valid Responses | Total Number of Colonies Managed | Average Number of Colonies Managed | | Average Colony Loss | | |
|--|------------------|---|----------------------------------|------------------------------------|----------------|---------------------|--------------|--------------|
| | | | | Mean | Standard Error | Mean(%) | Lower 95% CI | Upper 95% CI |
| | Product Not Used | 4,675 | 295,770 | 63.3 | 9.9 | 25.4 | 24.5 | 26.3 |
| | Product Used | 127 | 890 | 7.0 | 1.0 | 21.7 | 16.5 | 27.0 |

Comments About This Data

Relevant Links, References, and Citations

Funded By:

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.