





A comparison of average winter colony mortality among beekeepers who reported they did or did not apply and/or feed Honey-B-Healthy to a majority of their colonies, at least once, between April and March.

Winter

Report ID: 182-2014



Participant Ratio



Interpretation

Beekeepers who fed colonies with Honey-B-Healthy reported 3.6 less overwintering colony deaths per 100 managed colonies than those who did not report feeding colonies with Honey-B-Healthy. In other words, beekeepers who fed colonies with Honey-B-Healthy lost 8% fewer colonies than those that did not feed with Honey-B-Healthy.

Survey Question

Which, if any of the following, did you apply to a majority of your colonies between April 1, 2013 and March, 2014?

-Honey-B-Healthy

		Total Number of Respondents Providing Valid Responses	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
	Product Not Used	3,696	241,684	65.4	11.9	44.4 [43.2, 45.6]
	Product Used	1,815	276,735	152.5	43.0	40.8 [39.1, 42.5]

Comments About This Data

Relevant Links, References, and Citations



This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.