




# Simple Single Stock By Region

## Winter

Report ID: 252-2014

This report was generated from responses gathered in the survey year named above. Results with less than 5 responses are not displayed. The information in this report and others is freely available at <http://research.beeinformed.org>. We hope you will find this information helpful. Thanks to all those who participated last year and please come back in April each year to participate in The Bee Informed Management Survey.

No Significant Differences (within regions)



## Respondent Ratio



## Interpretation

There are no significant differences within the regions.

## Survey Question

What type or race of bees do you use in your operation?

- New World Carniolan
- New World Carniolan hybrid
- Caucasian

- Caucasian hybrid
- Italian
- Italian hybrid
- Buckfast
- Buckfast hybrid
- Russian
- Russian hybrid
- Varroa Sensitive Hygienic (VSH)
- Minnesota Hygienic
- German black
- Local selected
- Africanized
- Don't know

		Total Number of Respondents Providing Valid Responses	Total Number of Colonies Managed	Average Number of Colonies Managed		Average Colony Loss
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
Multiregional	Only one breed used	48	226,162	4711.7	1458.3	23.2 [17.0, 29.5]
	More than one type used	50	166,565	3331.3	697.3	25.6 [18.7, 32.5]
Northern States	Only one breed used	1,818	14,901	8.2	1.0	49.7 [47.8, 51.5]
	More than one type used	1,663	27,472	16.5	2.9	48.1 [46.3, 49.8]
Southern States	Only one breed used	920	39,629	43.1	17.7	33.7 [31.4, 36.1]
	More than one type used	777	28,972	37.3	15.0	32.0 [29.8, 34.3]

## Comments About This Data

## Relevant Links, References, and Citations

Funded By:



United States  
Department of  
Agriculture

National Institute  
of Food  
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.