




Small Hive Beetle Trap Use by Region

Management
Survey 2015


Average winter colony mortality reported by beekeepers who did or did not use Small Hive Beetle traps in at least some of the colonies in their operation, between April and March, by region of operation.

Winter

Report ID: 125-
2015



Respondent Ratio



Interpretation

There are no significant differences within each region of operation.

Survey Question

Over the last year, did you employ any of the IPM practices/equipment listed below?

-Screen bottom board

		Total Number of Respondents Providing Valid	Total Number of Colonies Managed	Average Number of Colonies Managed	Average Colony Loss

		Responses				
				Mean	Standard Error	Mean(%) [Lower, Upper] CI
Multiregional	Technique Used	59	98,561	1670.5	1102.4	31.4 [23.2, 39.6]
	Technique Not Used	97	163,968	1690.4	323.9	28.3 [23.1, 33.4]
Northern States	Technique Used	561	5,410	9.6	1.0	47.2 [44.4, 50.1]
	Technique Not Used	2,507	44,708	17.8	4.5	46.1 [44.6, 47.6]
Southern States	Technique Used	655	14,660	22.4	8.3	35.5 [32.9, 38.1]
	Technique Not Used	902	47,106	52.2	21.8	34.9 [32.7, 37.2]

Comments About This Data

Relevant Links, References, and Citations

Funded By:



United States
Department of
Agriculture

National Institute
of Food
and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.