
۳




Losses By State

A comparison of average winter colony mortality among beekeepers in different states across the United States, between April and March.







Interpretation

There are some significant differences between states.

Survey Question

In what states did you keep your colonies in between April 1,2014 and March,2015?

	Respondents	Number of	Average Number of Colonies Managed		Average Colony Loss
			Mean	Standard Error	Mean(%) [Lower, Upper] CI
Alabama	32	423	13.2	3.2	30.4 [21.2,39.5]
Arizona	10	1,032	103.2	69.3	34.5 [7.8,61.3]
Arkansas	105	2,231	21.2	8.3	31.7 [25.4,38.1]

California	217	388,228	1789.1	368.6	27.3 [23.6,31.0]
Colorado	215	63 , 319	294.5	288.3	47.9 [42.6,53.2]
Connecticut	77	731	9.5	2.8	54.2 [46.0,62.5]
Delaware	20	30,430	1521.5	1030.9	36.0 [21.5,50.5]
Florida	117	42 , 987	367.4	184.5	24.0 [18.7,29.4]
Georgia	81	5 , 256	64.9	36.3	42.0 [34.3,49.7]
Hawaii	37	13,887	375 . 3	151.8	10.1 [5.1,15.2]
Idaho	67	103,074	1538.4	515.8	29.0 [21.6,36.4]
Illinois	145	1,255	8.7	1.7	57.2 [51.2,63.3]
Indiana	142	3 , 843	27.1	19.7	43.7 [37.9,49.5]
Iowa	48	986	20.5	6.8	52.0 [43.8,60.1]
Kansas	150	3,581	23.9	6.9	33.4 [28.0,38.8]
Kentucky	77	770	10.0	2.5	40.9 [33.0,48.8]
Louisiana	24	3 , 689	153.7	130.7	29.5 [18.4,40.6]
Maine	127	30 , 965	243.8	166.3	47.4 [40.9,54.0]
Maryland	162	16 , 673	102.9	92.6	46.3 [41.1,51.5]
Massachusetts	207	1,558	7.5	1.3	51.7 [46.5,56.9]
Michigan	292	10 , 781	36.9	25.1	48.9 [44.7,53.0]
Minnesota	114	85 , 660	751.4	548.1	58.5 [51.9,65.2]
Mississippi	12	15 , 833	1319.4	931.0	29.3 [11.2,47.3]
Missouri	116	1 , 909	16.5	3.6	33.0 [27.4,38.7]
Montana	32	31 , 810	994.1	424.1	39.2 [26.9,51.6]
Nebraska	15	72 , 610	4840.7	4142.0	52.5 [32.4,72.6]
Nevada	N/A	1,432	204.6	182.8	52.0 [13.5,90.5]
New Hampshire	60	657	11.0	4.5	50.8 [40.8,60.9]
New Jersey	116	1,497	12.9	4.2	36.5 [30.1,42.9]
New Mexico	24	1,975	82.3	74.7	30.6 [15.5,45.8]
New York	191	39,996	209.4	112.7	40.0 [35.2,44.9]

North Carolina	308	2 , 602	8.4	1.1	35.5 [31.8,39.2]
North Dakota	37	245 , 349	6631.1	1810.7	26.0 [17.5,34.5]
Ohio	353	3 , 951	11.2	2.2	49.2 [45.2,53.2]
Oklahoma	41	10,561	257.6	169.8	37.0 [26.7,47.3]
Oregon	179	38,936	217.5	92.0	29.4 [24.6,34.1]
Pennsylvania	894	37,160	41.6	23.7	52.7 [50.3,55.0]
Rhode Island	27	401	14.9	7.0	49.2 [33.3,65.1]
South Carolina	82	2,838	34.6	18.5	31.2 [24.5,37.9]
South Dakota	16	76 , 660	4791.3	3834.0	32.7 [16.9,48.5]
Tennessee	84	1,418	16.9	4.1	40.2 [32.8,47.5]
Texas	162	124,733	770.0	400.1	21.2 [17.0,25.3]
Utah	51	16 , 752	328.5	157.2	42.2 [33.1,51.2]
Vermont	69	750	10.9	3.3	33.7 [24.9,42.4]
Virginia	799	6 , 753	8.5	0.9	42.3 [39.7,44.8]
Washington	164	113,253	690.6	395.1	46.5 [40.9,52.2]
West Virginia	56	868	15.5	5.9	34.3 [25.9,42.8]
Wisconsin	164	34,153	208.3	129.0	58.6 [53.0,64.2]
Wyoming	12	14,844	1237.0	560.3	41.5 [19.3,63.6]

Comments About This Data

Relevant Links, References, and Citations

Funded By:





United States Department of Agriculture National Institute of Food and Agriculture

This information is for educational purposes only. References to commercial products or trade names do not imply endorsement by the Bee Informed Partnership or its members. The results presented here are the summary of the population who responded. The sample may not be representative of the beekeeping population at large. These results simply highlight differences in the sample population. The results cannot be considered conclusive, causative, protective, or attest to product efficacy or lack of efficacy.